

SECOND

AMENDED

NO. 62393

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office August 19, 1996

Returned to applicant for correction August 30, 1996

Corrected application filed September 24, 1996

Map filed September 24, 1996

The applicant **NEVADA BELL**, hereby make 1 application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **DOMESTIC WELL APPROXIMATELY 130 FEET IN DEPTH (UNDERGROUND)**

2. The amount of water applied for is **18-20 GALLONS PER MINUTE/.045 SECOND FEET** second-feet

(a) If stored in reservoir give number of acre-feet

3. The water to be used for **RESTROOM FACILITIES (2) FOR NEVADA BELL'S CENTRAL OFFICE BUILDING LOCATED IN PAHRUMP, NEVADA (COMMERCIAL)**

4. If use is for:

(a) Irrigation, state number of acres to be irrigated

(b) Stockwater, state number and kinds of animals to be watered

(c) Other use (describe fully under No. 12. "Remarks") **RESTROOM FACILITIES (2)**

(d) Power:

(1) Horsepower developed

(2) Point of return of water to stream

5. The water is to be diverted from its source at the following point **NE 1/4 SE 1/4, Section 16, T.20S., R.53E., M.D.B.&M., or at a point from which the E 1/4 corner of said Section 16 bears N57°21'00"E a distance of 393.00'.**

6. Place of Use **A portion of the NE 1/4 SE 1/4 of Section 16, T.20S., R.53E.**

7. Use will begin about **JANUARY 1,** and end about **DECEMBER 31,** of each year.

8. Description of proposed works **EXISTING DOMESTIC WELL - 8 INCH CASING**

9. Estimated cost of works **MINIMAL COSTS - SYSTEM IS EXISTING**

10. Estimated time required to construct works **SYSTEM IS EXISTING**

11. Estimated time required to complete the application of water to beneficial use **30 DAYS**

12. Remarks: PURSUANT TO STATE ENGINEER ORDER #1107, NEVADA BELL REQUESTS USE OF EXISTING DOMESTIC WELL WITH ANTICIPATED USAGE OF LESS THAN 1800 GALLONS PER DAY.

By s/D Callahan
 SENIOR ENGINEER - REAL ESTATE
 P.O. BOX 11010
 RENO, NV 89520

Compared nsr/cl cl/cms
 Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.045 cubic feet per second, but not to exceed 2.02 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

July 18, 1998

Proof of completion of work shall be filed before:

August 18, 1998

Application of water to beneficial use shall be filed on or before:

July 18, 2000

Proof of the application of water to beneficial use shall be filed on or before:

August 18, 2000

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,
 State Engineer of Nevada, have hereunto set
 my hand and the seal of my office,

this 18th day of July, A.D. 1997


 State Engineer

Completion of work filed SEP 15 1998

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

CANCELLED DEC - 7 2000 BECAUSE OF FAILURE
 OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT
Turnipseed, P.E.
 STATE ENGINEER